MVL-HT-05-65

0.5 x 65mm 1/2" TELECENTRIC LENS

HT series Telecentric Lens are designed for machine vision application with excellent imaging quality, magnification range from 0.5x to 2.0x, working distance range from 65mm to 150mm, optional point light interface.

Key Features


- High resolution and uniformity of image definition
- Low optical distortion and high telecentricity, more suitable for high precision measurement application
- Excellent anti-vibration performance and stability performance in temperature variation
- Image size compatible with 1/1.8"

Specification

•							
Model		MVL-HT-05-65					
Parameter		0.5x 65mm 1/2" TELECENTRIC LENS					
Magnification		0.5x		Working Distance		65±2mm	
Depth of Field*		3.01mm		Resolution		12.61µm	
Optical Distortion		≤ 0.1%		Telecentricity		≤ 0.1°	
F-Number		F9.4		Object Space NA		0.027	
Image Size		Ф8.4mm		Object-image Distance		188.43±2mm	
Mount		C-Mount		Dimension		105.9mm×28mm	
Operating Temperature		-10~50°C		Weight		96g	
Field of View (mm)	D	1/3"	12	1/2"	16	1/1.8"	17.8
	Н		9.6		12.8		14.4
	V	7.2			9.6		10.6

*The Depth of Field is the theoretical calculated value when the diameter of the maximum confusion circle is 40µm.

Dimension



Copyright Hikrobot

Hangzhou Hikrobot Technology Co., Ltd. All Rights Reserved. Hangzhou Hikrobot Technology does not tolerate any infringement. Any organization or individual may not imitate or reproduce in whole or in part of the content. The data herein is based on Hikrobot's internal evaluation. Actual data may vary depending on specific configuration and operating condition. The information herein is subject to change without notice All the content has been checked conscientiously. Nevertheless, Hikrobot shall not be liable to damages resulting from errors, inconsistencies or omissions.



